

Safety Data Sheet

according to WHS Regulations

Printing date 18.11.2019

Revision: 18.11.2019

1 Identification

Product Name: ALKA KLENZ - MEDIUM FOAM

Other Means of Identification:

Other Name: Mixture.

Recommended Use of the Chemical and Restriction on Use: Dairy detergent.

Details of Manufacturer or Importer:

DASCO Pty Ltd
 24-26 Helen Street
 Heidelberg Heights VIC 3081

Phone Number: 03 9459 7004

Emergency telephone number: National Poison Information Centre: 13 11 26

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (7th edition).



corrosion

Corrosive To Metals 1

H290 May be corrosive to metals.

Skin Corrosion/Irritation 1B

H314 Causes severe skin burns and eye damage.

Serious Eye Damage/Irritation 1

H318 Causes serious eye damage.



STOT SE 3

H335 May cause respiratory irritation.

Signal Word Danger

Hazard Statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary Statements

P234 Keep only in original container.

P260 Do not breathe dusts or mists.

P264 Wash hands thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P363 Wash contaminated clothing before reuse.

(Contd. on page 2)

Safety Data Sheet

according to WHS Regulations

Printing date 18.11.2019

Revision: 18.11.2019

Product Name: ALKA KLENZ - MEDIUM FOAM

(Contd. of page 1)

P390	Absorb spillage to prevent material damage.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P406	Store in corrosive resistant container /container with a corrosion resistant inner liner.
P501	Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:

CAS: 497-19-8	Sodium carbonate ⚠ Serious Eye Damage/Irritation 1, H318; ⚠ STOT SE 3, H335	>60%
CAS: 10213-79-3	Sodium metasilicate pentahydrate ⚠ Corrosive To Metals 1, H290; Skin Corrosion/Irritation 1B, H314; ⚠ STOT SE 3, H335	10 - 30%
CAS: 84133-50-6	Alcohols, C12-C14-secondary, ethoxylated ⚠ Serious Eye Damage/Irritation 1, H318; ⚠ Acute Toxicity (Oral) 4, H302; Acute Toxicity (Inhalation) 4, H332; Skin Corrosion/Irritation 2, H315; Aquatic Acute 2, H401	<2.5%

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, hold eyelids open and rinse with water for at least 15 minutes. Seek medical attention if symptoms occur.

Ingestion:

If swallowed, do not induce vomiting. Immediately rinse mouth with water. Give a glass of water. Never give anything by mouth to an unconscious person. Seek immediate medical attention.

Symptoms Caused by Exposure:

Inhalation: May cause respiratory irritation. May cause coughing, wheezing and shortness of breath. May cause pulmonary oedema.

Skin Contact: Causes severe skin burns. May cause degreasing effect on skin, especially when wet.

Eye Contact: Causes serious eye damage. May cause permanent eye damage.

Ingestion: May cause irritation or burns to the mouth, throat and gastrointestinal system. May cause vomiting, ulceration and bleeding. May cause shock and collapse.

5 Fire Fighting Measures

Suitable Extinguishing Media: Water fog or fine water spray.

Specific Hazards Arising from the Chemical:

Hazardous combustion products include oxides of sodium, silicon and carbon.

This product is not flammable, however contact with metals may generate flammable hydrogen gas.

Containers close to fire should be removed if safe to do so. Use water spray to cool fire exposed containers.

(Contd. on page 3)

Safety Data Sheet

according to WHS Regulations

Printing date 18.11.2019

Revision: 18.11.2019

Product Name: ALKA KLENZ - MEDIUM FOAM

(Contd. of page 2)

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures**Personal Precautions, Protective Equipment and Emergency Procedures:**

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust. Do not touch or walk through spilt product. Product may be slippery when spilt.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

For small spills: If local regulations permit, mop up with plenty of water and run to waste, diluting greatly with running water. Otherwise absorb spill with inert absorbent material and transfer to a suitable container for disposal.

For large spills: absorb spill with sand, earth or other absorbent material. Transfer to a suitable container for disposal.

7 Handling and Storage**Precautions for Safe Handling:**

Reacts violently with acids.

May be corrosive to metals.

May react with strong oxidising agents.

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust.

Food, beverages and tobacco products should not be stored or consumed where this material is in use.

Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep container tightly closed when not in use. Store in original container. Protect containers from physical damage. Protect from direct sunlight and moisture. Slightly hygroscopic, may absorb moisture from the air. Keep away from acids, oxidising agents and active metals such as aluminium, tin or zinc.

8 Exposure Controls and Personal Protection**Exposure Standards:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. At high dust levels, wear a powered air purifying respirator (PAPR) with Class P3 (Particulate) filter or an air-line respirator or a full-face Class P3 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

Rubber or plastic gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Impervious overalls, plastic apron, sleeves and boots should be worn when handling industrial quantities. See Australian/New Zealand Standard AS/NZS 4501 for more information.

(Contd. on page 4)

Safety Data Sheet

according to WHS Regulations

Printing date 18.11.2019

Revision: 18.11.2019

Product Name: ALKA KLENZ - MEDIUM FOAM

(Contd. of page 3)

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form:	Granular powder
Colour:	White
Odour:	Slight detergent odour
Odour Threshold:	No information available
pH-Value:	~11.5
Melting point/freezing point:	No information available
Initial Boiling Point/Boiling Range:	No information available
Flash Point:	Not applicable
Flammability:	Product is not flammable.
Auto-ignition Temperature:	No information available
Decomposition Temperature:	No information available
Explosion Limits:	
Lower:	Not applicable
Upper:	Not applicable
Vapour Pressure:	No information available
Density:	No information available
Relative Density:	No information available
Vapour Density:	No information available
Evaporation Rate:	No information available
Solubility in Water:	Soluble in water
Partition Coefficient (n-octanol/water):	No information available
VOC:	None

10 Stability and Reactivity

Possibility of Hazardous Reactions:

Hazardous polymerisation will not occur.
 Reacts violently with acids.
 May be corrosive to metals.
 May react with strong oxidising agents.
 Contact with acids may generate carbon dioxide.
 Contact with metals may generate flammable hydrogen gas.

Chemical Stability:

Stable under normal conditions.
 Slightly hygroscopic, may absorb moisture from the air.

Conditions to Avoid: Physical damage to container, direct sunlight and moisture.

Incompatible Materials: Acids, oxidising agents and active metals such as aluminium, tin or zinc.

Hazardous Decomposition Products: Oxides of sodium, silicon and carbon.

(Contd. on page 5)

Safety Data Sheet

according to WHS Regulations

Printing date 18.11.2019

Revision: 18.11.2019

Product Name: ALKA KLENZ - MEDIUM FOAM

(Contd. of page 4)

11 Toxicological Information

Toxicity:**LD₅₀/LC₅₀ Values Relevant for Classification:****CAS: 497-19-8 Sodium carbonate**

	LC ₅₀	2300 mg/m ³ /2hrs (rat)
Oral	LD ₅₀	4090 mg/kg (rat)

CAS: 10213-79-3 Sodium metasilicate pentahydrate

Oral	LD ₅₀	1153 mg/kg (rat)
------	------------------	------------------

CAS: 84133-50-6 Alcohols, C12-C14-secondary, ethoxylated

Oral	LD ₅₀	2,100 mg/kg (rat)
------	------------------	-------------------

Acute Health Effects**Inhalation:**

May cause respiratory irritation. May cause coughing, wheezing and shortness of breath. May cause pulmonary oedema.

Skin: Causes severe skin burns. May cause degreasing effect on skin, especially when wet.

Eye: Causes serious eye damage. May cause permanent eye damage.

Ingestion:

May cause irritation or burns to the mouth, throat and gastrointestinal system. May cause vomiting, ulceration and bleeding. May cause shock and collapse.

Skin Corrosion / Irritation: Causes severe skin burns.

Serious Eye Damage / Irritation: Causes serious eye damage.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure: May cause respiratory irritation.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects:

Repeated skin contact may lead to irritation, dermatitic effects and possible sensitisation. Prolonged or repeated inhalation of dust may lead to nose bleeds, nasal congestion, erosion of the teeth, perforation of the nasal septum, chest pain and bronchitis.

Existing Conditions Aggravated by Exposure: No information available

Additional toxicological information: No information available

12 Ecological Information

Ecotoxicity: No further relevant information available.

Aquatic toxicity:**CAS: 497-19-8 Sodium carbonate**

EC ₅₀ /48 h	200 mg/l (daphnia)
------------------------	--------------------

(Contd. on page 6)

Safety Data Sheet

according to WHS Regulations

Printing date 18.11.2019

Revision: 18.11.2019

Product Name: ALKA KLENZ - MEDIUM FOAM

(Contd. of page 5)

LC ₅₀ /96 h	300 mg/l (Iepomis macrochirus)
EC ₅₀ /120hr	242 mg/l (algae)
CAS: 84133-50-6 Alcohols, C12-C14-secondary, ethoxylated	
EC ₅₀ /48 h	3.2 mg/l (daphnia)
LC ₅₀ /96 h	3.2 mg/l (fathead minnow)

Persistence and Degradability: No further relevant information available.**Bioaccumulative Potential:** No further relevant information available.**Mobility in Soil:** No further relevant information available.**Other adverse effects:** No further relevant information available.

13 Disposal Considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.**Special Precautions for Landfill or Incineration:**

Please consult your state Land Waste Management Authority for more information.

14 Transport Information

UN Number	UN3262
ADG, IMDG, IATA	
Proper Shipping Name	CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.
ADG, IMDG, IATA	(Sodium carbonate, disodium metasilicate)
Dangerous Goods Class	
ADG Class:	8 Corrosive substances.
Packing Group:	
ADG, IMDG, IATA	III
EMS Number:	F-A,S-B
Hazchem Code:	2X
Special Provisions:	223, 274
Limited Quantities:	5 kg
Packagings & IBCs - Packing Instruction:	P002, IBC08, LP02P002, IBC08, LP02
Packagings & IBCs - Special Packing Provisions:	B3
Portable Tanks & Bulk Containers - Instructions:	T1
Portable Tanks & Bulk Containers - Special Provisions:	TP33

15 Regulatory Information

Australian Inventory of Chemical Substances:

CAS: 497-19-8	Sodium carbonate
CAS: 6834-92-0	Disodium metasilicate
CAS: 84133-50-6	Alcohols, C12-C14-secondary, ethoxylated

(Contd. on page 7)

Safety Data Sheet

according to WHS Regulations

Printing date 18.11.2019

Revision: 18.11.2019

Product Name: ALKA KLENZ - MEDIUM FOAM

(Contd. of page 6)

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

16 Other Information

Date of Preparation or Last Revision: 18.11.2019**Last Revision of MSDS:** 01.09.2009**Prepared by:** MSDS.COM.AU Pty Ltdwww.msds.com.au**Abbreviations and acronyms:**

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds

LC₅₀: Lethal concentration, 50 percentLD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Corrosive To Metals 1: Corrosive to metals – Category 1

Acute Toxicity (Oral) 4: Acute toxicity – Category 4

Skin Corrosion/Irritation 1B: Skin corrosion/irritation – Category 1B

Skin Corrosion/Irritation 2: Skin corrosion/irritation – Category 2

Serious Eye Damage/Irritation 1: Serious eye damage/eye irritation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 2: Hazardous to the aquatic environment, short-term (Acute). Category 2

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - February 2016"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. DASCO Pty Ltd makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. MSDS.COM.AU Pty Ltd is not in a position to warrant the accuracy of the data herein. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.